# Empathy as a procedural value for radiation protection

Friedo Zölzer
University of South Bohemia in České Budějovice
Czech Republic

#### Principles of Biomedical Ethics

Beauchamp and Childress (1979¹, 2012⁻) proposed the following principles for ethical decision making in the clinical situation:

Respect for Autonomy Non-Maleficence Beneficence Justice

### Principles of Biomedical Ethics

Beauchamp and Childress (1979¹, 2012⁻) proposed the following principles for ethical decision making in the clinical situation:

Respect for Autonomy Non-Maleficence Beneficence Justice

These have also been used as a point of departure in other fields, such as long-term management of contaminated areas (Oughton et al., 2003), firefighting (Sandin, 2009), or public health (Schröder-Bäck et al., 2014).

### Ethical values underlying the system of radiological protection

The following core values are identified in ICRP 138:

Beneficence / Non-maleficence Prudence Justice Dignity

### Ethical values underlying the system of radiological protection

The following core values are identified in ICRP 138:

Beneficence / Non-maleficence Prudence Justice Dignity

ICRP 138 also refered to procedural (or behavioural) values:

Accountability Transparency Inclusiveness

### Ethical values underlying the system of radiological protection

The following core values are identified in ICRP 138:

Beneficence / Non-maleficence Prudence Justice Dignity

ICRP 138 also refered to procedural (or behavioural) values:

Accountability Transparency Inclusiveness

How are all these values related? Is anything missing in the system?

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES
Respect for autonomy	
Non-maleficence	
Beneficence	
Justice	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES
Respect for autonomy	Dignity
Non-maleficence	
Beneficence	
Justice	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES
Respect for autonomy	Dignity
Non-maleficence	Precaution
Beneficence	
Justice	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES
Respect for autonomy	Dignity
Non-maleficence	Precaution
Beneficence	Solidarity
Justice	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES
Respect for autonomy	Dignity
Non-maleficence	Precaution
Beneficence	Solidarity
Justice	Sustainability

## Core ethical values according to ICRP 138

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	
Respect for autonomy	Dignity	
Non-maleficence	Precaution Prudence	
Beneficence	Solidarity	
Justice	Sustainability	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for	Dignity	
autonomy		
Non-maleficence	Precaution	
Beneficence	Solidarity	
Justice	Sustainability	

PRINCIPLES OF	RELATED	PROCEDURAL
BIOMEDICAL	GENERAL	PRINCIPLES
ETHICS	PRINCIPLES	
Respect for	Dignity	
autonomy		
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	
Justice	Sustainability	

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for autonomy	Dignity	
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	
Justice	Sustainability	Transparency

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for autonomy	Dignity	Inclusiveness
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	
Justice	Sustainability	Transparency

## Procedural ethical values according to ICRP 138

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for autonomy	Dignity	Inclusiveness
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	
Justice	Sustainability	Transparency

## Procedural ethical values according to ICRP 138

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for autonomy	Dignity	Inclusiveness
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	Empathy
Justice	Sustainability	Transparency

### What is empathy?

Merriam Webster Dictionary:

Empathy is the action of understanding, being aware of, being sensitive to the feelings, thoughts, and experience of another without having the feelings, thoughts, and experience fully communicated in an objectively explicit manner; also: the capacity for this.

### What is empathy?

#### Merriam Webster Dictionary:

Empathy is the action of understanding, being aware of, being sensitive to the feelings, thoughts, and experience of another without having the feelings, thoughts, and experience fully communicated in an objectively explicit manner; also: the capacity for this.

#### Oxford Dictionary:

Empathy is the ability to understand and share the feelings of another.

### What is empathy?

#### Merriam Webster Dictionary:

Empathy is the action of understanding, being aware of, being sensitive to the feelings, thoughts, and experience of another without having the feelings, thoughts, and experience fully communicated in an objectively explicit manner; also: the capacity for this.

#### Oxford Dictionary:

Empathy is the ability to understand and share the feelings of another.

#### Barack Obama:

Empathy is a quality of character that can change the world - one that makes you understand that your obligations to others extend beyond people who look like you and act like you and live in your neighborhood.

#### Where does the term come from?

German philosophers Hermann Lotze (1848) and Robert Vischer (1873) created the word *Einfühlung* ("in-feeling", or "feeling into") to describe aspects of aesthetics.

#### Where does the term come from?

German philosophers Hermann Lotze (1848) and Robert Vischer (1873) created the word *Einfühlung* ("in-feeling", or "feeling into") to describe aspects of aesthetics.

The same word was used by the German psychologist Theodor Lipps (1903) for the way in which one person appreciates another's reaction by a projection of the self into the other.

#### Where does the term come from?

German philosophers Hermann Lotze (1848) and Robert Vischer (1873) created the word *Einfühlung* ("in-feeling", or "feeling into") to describe aspects of aesthetics.

The same word was used by the German psychologist Theodor Lipps (1903) for the way in which one person appreciates another's reaction by a projection of the self into the other.

The British-American psychologist Edward B. Titchener (1909) first used the word *empathy* in order to translate *Einfühlung* in the works of Theodor Lipps. Alix and James Strachey, British psychoanalysists, did the same when they translated works of Sigmund Freud into English in the 1920s.

### Can empathy be learned?

Empathy is usually defined as a capacity, ability, quality of character etc.

#### Can empathy be learned?

Empathy is usually defined as a capacity, ability, quality of character etc.

While some people may be naturally better at being empathic, says Mohammadreza Hojat, a research professor of psychiatry at Jefferson Medical College in Philadelphia, empathy can be taught. "Empathy is a cognitive attribute, not a personality trait," says Hojat, who proposed the Jefferson Scale of Empathy, a tool used by researchers to measure it.

•

#### Can empathy be learned?

Empathy is usually defined as a capacity, ability, quality of character etc.

While some people may be naturally better at being empathic, says Mohammadreza Hojat, a research professor of psychiatry at Jefferson Medical College in Philadelphia, empathy can be taught. "Empathy is a cognitive attribute, not a personality trait," says Hojat, who proposed the Jefferson Scale of Empathy, a tool used by researchers to measure it.

Helen Riess, the director of the empathy and relational science program at Massachusetts General Hospital, developed a novel empathy training program. It was tested in an initial pilot study with evidence of significant improvement in physician empathy. A later randomized controlled trial demonstrated significant increase in patient ratings of physician empathy.

*Empathy* is often used as a synonym of *compassion* in everyday language.

Empathy is often used as a synonym of compassion in everyday language.

The etymology of "compassion" is Latin, meaning "co-suffering."

Empathy is often used as a synonym of compassion in everyday language.

The etymology of "compassion" is Latin, meaning "co-suffering."

With <u>emotional</u> empathy, you actually "experience (a weaker degree) of what others feel." Researchers in recent years have been able to show that empathic responses of pain occur in the same area of the brain where real pain is experienced.

Empathy is often used as a synonym of compassion in everyday language.

The etymology of "compassion" is Latin, meaning "co-suffering."

With <u>emotional</u> empathy, you actually "experience (a weaker degree) of what others feel." Researchers in recent years have been able to show that empathic responses of pain occur in the same area of the brain where real pain is experienced.

But there is another form of empathy which relates to our ability to "understand what others feel." This is called <u>cognitive</u> empathy.

Empathy is often used as a synonym of compassion in everyday language.

The etymology of "compassion" is Latin, meaning "co-suffering."

With <u>emotional</u> empathy, you actually "experience (a weaker degree) of what others feel." Researchers in recent years have been able to show that empathic responses of pain occur in the same area of the brain where real pain is experienced.

But there is another form of empathy which relates to our ability to "understand what others feel." This is called <u>cognitive</u> empathy.

Compassion is then described as "caring about how others feel."

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Care for all others" is central to Confucius' teachings (Analects 12:22).

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Care for all others" is central to Confucius' teachings (Analects 12:22).

"Loving kindness is greater than laws; and the charities of life are more than all ceremonies." (Judaism, Talmud)

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Care for all others" is central to Confucius' teachings (Analects 12:22).

"Loving kindness is greater than laws; and the charities of life are more than all ceremonies." (Judaism, Talmud)

"Be of one mind, sympathetic, loving toward one another, compassionate, humble." (Christianity, 1st Epistle of Peter 3:8)

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Care for all others" is central to Confucius' teachings (Analects 12:22).

"Loving kindness is greater than laws; and the charities of life are more than all ceremonies." (Judaism, Talmud)

"Be of one mind, sympathetic, loving toward one another, compassionate, humble." (Christianity, 1st Epistle of Peter 3:8)

"You won't be true believers unless you have compassion, not towards his companion or close friend only, but to all." (Islam, Al Tabari's Hadiths)

"Who is incapable of hatred toward any being, who is kind and compassionate, free of selfishness... such a devotee is My beloved." (Hinduism, Bhagavad Gita 12:13-14)

"Loving kindness and compassion" are praised as two of the most important attitudes that the believer should cultivate (Buddhism, Metta Sutta).

"Care for all others" is central to Confucius' teachings (Analects 12:22).

"Loving kindness is greater than laws; and the charities of life are more than all ceremonies." (Judaism, Talmud)

"Be of one mind, sympathetic, loving toward one another, compassionate, humble." (Christianity, 1st Epistle of Peter 3:8)

"You won't be true believers unless you have compassion, not towards his companion or close friend only, but to all." (Islam, Al Tabari's Hadiths)

"Never criticise a man until you've walked a mile in his moccasins." (American Indian Proverb)

There are a range of terms used, including human-centred design, user-centred design, experience design, user experience design, service design, and *empathic design* - all sub-disciplines that employ empathy as one of their primary components.

There are a range of terms used, including human-centred design, user-centred design, experience design, user experience design, service design, and *empathic design* - all sub-disciplines that employ empathy as one of their primary components.

Empathy in design processes has been described as "leaving the design office and becoming immersed in the lives, environments, attitudes, experiences and dreams of the future users."

There are a range of terms used, including human-centred design, user-centred design, experience design, user experience design, service design, and *empathic design* - all sub-disciplines that employ empathy as one of their primary components.

Empathy in design processes has been described as "leaving the design office and becoming immersed in the lives, environments, attitudes, experiences and dreams of the future users."

Thus the process is preferably based on direct interaction between users and designers, but may require transfer of insights from user studies to design teams (which is to be employed when direct contact with users is not possible).

There are a range of terms used, including human-centred design, user-centred design, experience design, user experience design, service design, and *empathic design* - all sub-disciplines that employ empathy as one of their primary components.

Empathy in design processes has been described as "leaving the design office and becoming immersed in the lives, environments, attitudes, experiences and dreams of the future users."

Thus the process is preferably based on direct interaction between users and designers, but may require transfer of insights from user studies to design teams (which is to be employed when direct contact with users is not possible).

The accumulated material may include photos and handwritten notes from users, as well as storytelling, personas, mock-ups, visualisations, and storyboards. (Neysan Zölzer, Beyond Pragmatic Reductionism: Towards Empathy-Driven Refugee Camp Design, 2014)

### Empathy in radiation protection?

Clearly, then, empathy is called for when radiation risks have to be managed. This applies to different exposure situations, both to those of a long-term nature and in medical radiology.

### Empathy in radiation protection?

Clearly, then, empathy is called for when radiation risks have to be managed. This applies to different exposure situations, both to those of a long-term nature and to those which need a relatively quick decision.

Decision making

Consultation with those affected

Communication with those affected

Assessment of the situation

- accountability

- inclusiveness

- transparency

- empathy

### Empathy in radiation protection?

Clearly, then, empathy is called for when radiation risks have to be managed. This applies to different exposure situations, both to those of a long-term nature and to those which need a relatively quick decision.

**Decision** making

Consultation with those affected

Communication with those affected

Assessment of the situation

- accountability

- inclusiveness

- transparency

- empathy

People's concerns, their needs and wishes need to be taken seriously, even if they are considered unfounded or exaggerated. Otherwise, our understanding of beneficence would be oddly limited.

## Procedural ethical values according to ICRP 138

PRINCIPLES OF BIOMEDICAL ETHICS	RELATED GENERAL PRINCIPLES	PROCEDURAL PRINCIPLES
Respect for autonomy	Dignity	Inclusiveness
Non-maleficence	Precaution	Accountability
Beneficence	Solidarity	Empathy
Justice	Sustainability	Transparency